






• • Objectives


- Examine the relationship between maltreatment histories and current substance use patterns
- Distinguish between types of maltreatment experienced (i.e. physical vs. sexual) and substance use patterns (i.e. duration, amount, dependence and types of substances)
- Explore gender differences in maltreatment histories and substance use patterns


| • • • | Data |
|-------|--|
| ¢ | Youth Pathways Project (YPP) |
| ¢ | Short follow-up longitudinal design |
| ¢ | Data collection took place over one year |
| ¢ | 150 Street-involved youth were recruited from downtown agencies - 75 Men - 75 Women |
| | |

















- Number of drugs used in past 12m (0-2 drugs vs. 3+ drugs)
 - ALL measures of abuse were significantly related to # of drugs used for the young women (p<0.01)
 - Not significantly related to ANY measure of abuse for the young men (p<0.05)
- Number of drugs used in past 30d (0-2 drugs vs. 3+ drugs)
 - Physical abuse was significant for the young women (p<0.05)
 - Not significantly related to ANY measure of abuse for the young men (p<0.05)

Maltreatment & Substance Use Dependence

- Number of drugs felt dependent on (0-2 drugs vs. 3+ drugs)
 - ALL measures of abuse were significant for the young women (p<0.01)
 - Not significantly related to ANY measure of abuse for the young men (p<0.05)
- Number of drugs felt dependent on excluding alcohol and cannabis (None vs. 1 or More)
 - Not significantly related to ANY measure of abuse for both the young men and women (p<0.05)

Maltreatment & Substance Use Type: Hallucinogens

- Hallucinogen use in the past 12m (Yes vs. No)
 - ALL measures of abuse for the young women EXCEPT physical abuse (kick, bite, punch) were significant for the young women (p<0.05)
 - Sexual abuse in the form of touching was significant for the young men (p<0.05)
- Hallucinogen use in the past 30d (Yes vs. No)
 - Not significantly related to ANY measure of abuse for the young women (p<0.05)
 - For the young men, sexual abuse in the form of touching was significant (p<0.05) and some indication of an association with sexual force/intercourse (p=0.065)

Maltreatment & Substance Use Type: Amphetamines

- Amphetamine use in the past 12m (Yes vs. No)
- Not significantly related to ANY measure of abuse for the young women (p<0.05)
- abuse were significant for the young men (p<0.05)
- Amphetamine use in the past 30d (Yes vs. No)
 - Not significantly related to ANY measure of abuse for the young women (p<0.05)
 - Again, BOTH forms of sexual abuse were significant for the young men (p<0.01)

Maltreatment & Substance Use Type: Injection Use

- Injection drug use in the past 12m (Yes vs. No)
 - Sexual abuse in the form of touching was significantly related to IDU in the past 12m for the young women (p<0.05)
 - Physical abuse (choke, burn, attack) was significantly associated with IDU in the past 12m for the young men (p<0.01)

Conclusions

- ¢ Findings from the YPP suggest the following:
 - Life-course patterns of substance use & histories of maltreatment
 - Poly-drug use
 - Drug type & abuse experience type
 - Gender differences

Future Directions

- Only a small percentage of these young people have received some form of substance use treatment (19% of the men and 13% of the women)
- What the youth had to say:
 - riad use youtin flad to Say:

 "You know, you just want the help now. You want it now, now, now. And they were like, oh well, try to stay sober for a month and a hall before you come in. It's just like, if I could do that, I wouldn't be trying to get in, you know. But, you know, I guess there's... there's a lot of people trying to get help, right?"
 - "Well, counselling is very, very hard to get into for youth and the thing is, like, I think that kids should be educated about counselling because they see it as very negative."
- Harm reduction based programs

